

S11	28	(co?processor) near4 load	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:32
S12	0	(co?processor) same (data adj1 deadlock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:33
S13	4	(co?processor) same deadlock	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:24
S14	27	(co?processor) same (shared near4 resource\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:44
S15	0	(co?processor) same (shared near4 resource\$1) same conflict	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:45
S16	2	(co?processor) same resource\$1 same conflict	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 11:45
S17	6	((("5923892") or ("4219873") or ("5109514") or ("5727227") or ("4774625") or ("4695945")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 13:20
S18	497	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S19	311	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S20	113	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S21	83	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13

S22	264	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:14
S23	0	(interrupt near4 vector\$1) near4 (instruction adj1 (sets or architectures)) near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:29
S24	12	(interrupt near4 vector\$1) near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:18
S25	13	(interrupt near4 vector\$1) with co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:20
S26	21	(interrupt near4 vector\$1) same co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:25
S27	0	(interrupt near4 vector\$1) near4 (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S28	2	(interrupt near4 vector\$1) with (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S29	11	(interrupt near4 vector\$1) same (instruction adj1 (sets or architectures))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:23
S30	22	(interrupt with vector\$1) same co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:28
S31	24	(interrupt same vector\$1) same co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:28
S32	3972	(interrupt near4 vector\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30
S33	3269	(interrupt adj1 vector\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30

S34	140	(interrupt adj1 vector\$1) near4 handler\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:30
-----	-----	--	---	----	-----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	378	(712/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:15
S2	243	(712/209).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:19
S3	19	emulat\$3 near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:47
S4	4	((("5768613") or ("4870614") or ("5727227") or ("5923892")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:48
S5	101	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:48
S6	68	(712/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:49
S7	199	(712/34).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:56
S8	21	((712/34).CCLS.) and emulation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/20 14:57
S9	0	(co?processor) near4 (data adj1 conflict)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:31
S10	0	(co?processor) same (data adj1 conflict)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/09/29 10:32